

Literatuur:

1. Richtlijn KNGF, stress (urine) incontinentie, 2011
2. Richtlijn KNGF, evidence statement anale incontinentie, 2013
3. Haylen BT, De Ridder D, Freeman RM, Swift SE, Berghmans B, Lee J, et al. An international urogynecological association (IUGA)/international continence society (ICS) joint report on the terminology for female pelvic floor dysfunction. *Neurourol Urodyn.* 2010;29(1):4-20.
4. Slieker- ten Hove M. C. Ph. Pool-Goudzwaard A.L., Eijkemans M.J., Steegers-Theunissen R.P., Burger C.W. Vierhout M.E. Symptomatic pelvic organ prolapse and possible risk factors in a general population, *J Obstet Gynecol* 2009;200:184.e1-184.e7
5. Jarvinen A.H, Jarvinen L.N., Muscle injuries: optimising recovery, Best practice research clinical rheumatology 2007
6. Morree, J.J. de, "Dynamiek van het menselijk bindweefsel", derde druk, Bohn Stafleu van Loghum, Houten/Diegem, 2000
7. Wingerden, B.A.M. van, "Bindweefsel in de revalidatie", Scripo verslag Schaan, Liechtenstein, 1997
8. Webb, S., Managing perineal trauma after childbirth, nov 2014
9. Boyle R, Hay-Smith EJC, Cody JD, Morkved S, Pelvic floor muscle training for prevention en treatment of urinary and faecal incontinence in antenatal and postnatal women ( review) the Cochrane Library 2012, issue 10
10. Abbott D, Atere-Roberts N, Williams A, Oteng-Ntim E, Chappell LC. Obstetric anal sphincter injury. *BMJ* 2010;341:140-5.
11. Kanakaris N.K., Roberts C.S., Giannoudis P. Pregnancy-related pelvic girdle pain: an update, *BMC Medicine* 2011 9:15
12. Nygaard IE, Hamad NM, Shaw Jm. Activity restrictions after gynecologic surgery: is there evidence? International urogynecology journal. 2013;24(5):719-729. Doi1007/s00192-012-2026-2
13. Cranenburgh B van, Pijn vanuit neurowetenschappelijk perspectief 7e druk. Maarsen Elsevier gezondheidszorg 2009
14. Dumoulin, Chantale, Glazener, Cathryn, Jenkinson, David. Determining the optimal pelvic floor muscle training regimen for women with stress urinary incontinence. *Neurourol. Urodyn.* 30;5:1520-6777, 2011
15. KNGF beroepsprofiel bekkenfysiotherapie, augustus 2014 bft 2014